

Certificate No: **TAP00001MD**

TYPE APPROVAL CERTIFICATE

This is to certify:
That the Pipe Couplings, Bite and Compression Type
with type designation(s) VOSSLok40
VOSS Fluid GmbH Wipperfürth, Nordrhein-Westfalen, Germany
is found to comply with DNV GL rules for classification – Ships Pt.4 Ch.6 Piping systems DNV GL class programme DNVGL-CP-0185 – Type approval – Mechanical joints
Application:
Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Issued at Hamburg on 2019-04-11

Max. working press.: up to 50MPa

Up to 200°C

6mm up to 22mm

This Certificate is valid until 2024-04-10. DNV GL local station: Essen

Temperature range:

Sizes:

Approval Engineer: Hagen Markus **Olaf Drews Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



www.dnvgl.com Page 1 of 5

for **DNV GL**

Product description

The VOSS*Lok*⁴⁰ pipe coupling system consists of a 40° sealing cone formed on the pipe by using the VOSS Fluid forming machine of type TD-TYPE40VL, special nut and pipe fittings listed in this certificate.

Component	Material designation ³	Design standards	Delivery condition
Pipe coupling	1.4404,	DIN EN 10000 3	
Special nut	AISI 316L	DIN EN 10088-3	
Seamless tubes ^{1,2}	1.4571, 1.4404, 1.4435, 1.4301, 1.4306	DIN EN 10216-5 DIN EN 10305-1	CFA or CFD. Max. hardness 90 HRB

Notes

- ¹ For selection of tubes refer to the VOSS Fluid catalogue "VOSSLok⁴⁰".
- ² Tube wall thickness acc. to DNV GL Ship Rules Pt.4, Ch.6 Section 9, Tables 3 and 4. Regarding material certificates refer Section 2, Table 3.
- ³ For detailed material designation refer to VOSS Fluid catalogue "Hydraulic connection technology, Edition 2018 Section 9".

Scope of type approval

This type approval certificate includes the following coupling types and accessories

Pipe couplings types	Type designation		
Male stud connectors	SDE, SDS		
Unions	S, E, T		
Bulkhead unions	BHSLN		
40° taper couplings	SWE, SWS, SW2S		
Female connectors	S		
Component parts and accessories for couplings			
Nuts, -screws	N, SU		
Blanking plug for ports, plugs	PLC, TBS		
Sealing rings	GP-SR, GP-OR		
Tools			
Forming machine	VOSS <i>Lok</i> ⁴⁰ – TD-TYPE40VL		

For the following coupling types limitations as specified in the Rules Pt.4, Ch.6 are to be observed:

Bulkhead unions

Coupling types with type designation BHLSN is not approved through tank walls, watertight decks and bulkheads.

For application through fire divisions a separate type approval is required.

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 2 of 5

Pipe couplings where pressure -tight joints are made on the threads are limited in the application as follows:

- Pipe couplings with parallel thread are not approved for pipe class I and II.
- Tapered or parallel thread is not approved for toxic or flammable media or services where fatigue, severe erosion or crevice corrosion is expected to occur.

Refer to DNVGL Rules, Pt.4, Ch.6 – Section 9 – 5.2.6.

Overview of threaded pipe couplings with limitations

Туре	Name	
SDE, SDS	Male stud connector with tapered thread	

All other pipe couplings with thread connection not listed in the above table may be used without limitations.

Application / Limitation

The VOSS Lok^{40} form pipe coupling system is type approved for application in pipe class I, II and III-piping systems, as specified in DNV GL Ship Rules Pt. 4, Ch. 6, Sec. 9 Table 12 and 13 - compression couplings – fire resistant type.

The pipe couplings are not approved for application in high pressure fuel injection systems of combustion engines.

Selection of materials

It shall be noted that the selection of the materials considers the applicable service condition with respect to type of media, flow velocity, media temperature etc. and installation area of the piping system. In particular, the resistance to corrosion, erosion, oxidation and other deterioration during projected service life are to be considered.

Pipe couplings made of stainless steel material 1.4571 are not approved for application in sea water systems and unprotected installation against green sea on open deck.

Reference is made to DNVGL Rules Pt.4, Ch.6 – Section 2 – Materials.

Sizes and pressure range²

Tube O.D.	Tube O.D.	Nominal pressure ¹
Metric mm	Inch in	PN MPa
6, 8, 10	3/16, ¼, 5/16	50
12	3/8	40
14, 15	1/2, 5/8	40
16, 18	³ / ₄ , 7/8	32
20	1	25
22		25

Notes

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 3 of 5

¹ For PN of individual pipe couplings refer to VOSS Fluid catalogue "VOSSLok⁴⁰".

² Max working pressure of the piping system depend on the selected pipe material and wall thickness.

Temperature range

The temperature range of the $VOSSLok^{40}$ form pipe coupling system is limited by the soft seal material, if applicable.

Material	Min. Temperature	Max. Temperature
Stainless steel ¹	- 55°C	+ 200°C
FKM	- 25°C	+ 200°C

Notes

Tube forming and assembling of pipe couplings

For tube forming and assembling of pipe couplings the instruction specified in the VOSS Fluid catalogue "VOSS Lok^{40} " are to be observed.

Type Approval documentation

Test reports based on test plan released on 2017-12-06

VOSS Automotive GmbH – Testing Laboratory, Wipperfürth

2018_0419/1	Repeated assembly test, gas leak tightness test, hydraulic tightness and burst pressure test.
2018_0418/1	Tightness test, vacuum, pull out
UA-Nr.: 2018_0419	Burst pressure test report

IMA Materialforschung und Anwendungstechnik GmbH, Dresden

V0/11/17 2010 02 12	Tightness test, Combined pressure pulsation and vibration test
1 NU4 1/ 17 , ZU 10-U3-13	i Hullthess test, combined bressure bulsation and vibration test

Dr. -Ing. T. Bäumer GmbH test laboratory, Herford Fire resistance tests acc. to ISO 19921/22 on stud couplings with elastomeric seals

Test report	Date
IBB1308:L06	
IBB1304:L18	2014-10-22
IBB1306:S6	2014-10-22
IBB1302:S16	
IBB1310:L42	2014-10-23
IBB1312:S38	2014-10-23

Miscellaneous

- DNVGL Assessment report of VOSS Fluid GmbH, D-51688 Wipperfürth, 2019-04-08
- VOSS Fluid catalogue "VOSSLok40"
- Data sheet forming machine FL-TD-TYPE40VL

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 4 of 5

¹ For service temperatures above 50°C (Stainless steel) the pressure reductions factors specified in the VOSS Fluid catalogue "VOSS Lok^{40} " are to be observed.

Tests carried out

Repeat assmbly test, gas leak test (70bar), hydraulik tighness test, burst pressure test, combiened pressure impulse and vibration test, pull-out test, vaccuum test, fire resistance test.

Marking of product

Component	Scope	Example
Pipe coupling	Manufacturer sign, suppliers mark, heat no., material code, unit system and size	VOSS 00-3816 VA MM 12
O-Ring (FKM)	Color	Black
Nut	Manufacturer sign, suppliers mark, heat no., material code, unit system and size of first pipe connection, type and size of inner thread	VOSS 003816 VA MM12 BS3/8

PERIODICAL ASSESSMENT

For retention of the Type Approval, a DNV GL Surveyor shall perform periodical assessment after two years (+/- 90 days) and after 3.5 years (+/- 90 days) to verify that the conditions for the Type Approval are complied with. Refer to DNVGL-CP-0338, Sec.4.

End of certificate

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 5 of 5